

Mirror Box Unit

A minimalist design illuminated by halo back-lit and front facing LEDs, guaranteed to make a bold statement. The lockable mirrors combine functional concealed contactless accessories with additional storage space, maximising available wall space and eliminating the requirement for wall hung accessories.



- **01** Fully concealed water outlets, soap dispensers and hand dryers with back-lit etched icons.
- **02** Experience improved commercial washroom hygiene with touchless accessories, all assembled off-site for speedy installation.

See p212-213 for Mirror Box Unit technical specifications.

Main image

1300mm Mirror Box Units with integrated water outlets, soap dispensers and hand dryers, with yellow hue halo back lighting and etched icons. WT6 profile Solid Surface washtrough in Alabastar.



Visit our YouTube channel to explore the features and benefits of Mirror Box Units.

Key features

Minimalist design available in widths between 500mm and 1300mm to suit your brief

Illuminated by halo back-lit and front facing LEDs in a choice of over 16 million colour combinations

Fully concealed behind mirror water outlets, hand dryers, liquid soap and hand sanitiser dispensers, plus paper towel dispensers

Carcass and accessories are off-site assembled for speedy installation

Increased levels of hygiene with contactless technology and easy to clean surfaces

Mirror door manufactured from SGL for enhanced strength and impact resistance

Mirror Box Units 221 Venesta

Mirror Box Unit

Mirror Box Units are available with a range of configurable accessories and layouts to suit your requirements. Choose from contactless water outlets, liquid hand soap and sanitiser dispensers, automatic hand dryers and paper towel dispensers. Accessories are concealed to keep surfaces clear, hygienic and easy to clean, with easy ongoing maintenance.



- **01** A 500mm wide Mirror Box Unit with soap dispenser and hand dryer, with blue LED lighting.
- **02** Fully concealed and touchless soap dispenser and hand dryer, with etched accessory icons for added durability.

See p212-213 for Mirror Box Unit technical specifications.



700mm Mirror Box Units with integrated hand sanitiser outlets, soap and paper towel dispensers, with cool white halo and front facing lights. Q5 profile Quartz vanity in Nickel with Langley oval vessel basins and Deva tall sensor taps.



Key features

Illuminated by back-lit and front facing LEDs to offer design flexibility with a choice of over 16 million colour combinations

Speedy installation with carcass and accessories pre-assembled

Touch free fully concealed washroom accessories

Customisable accessory configuration to meet requirements


Accessory icons can be etched into the glass for added durability and visual impact when lit

Convenient storage with internal shelf

Easy operational plunge locks as standard, secured directly into the carcass



Technical Specifying Mirror Box Units



Dimensions

Height

1000mm

Width

Available in 5mm increments from 500mm up to a maximum of 1300mm

Depth

210mm

Mounting spaces

From 2 up to 12 mounting spaces

Hinged panel

871mm activity space

Performance

Mirror Box Unit carcass manufactured from 19mm nominal thickness moisture resistant High Pressure Laminate (HPL). Edges lipped with ABS.

SGL

Mirror door and decorative end panels manufactured from 12.5mm nominal thickness Solid Grade Laminate.

Glass

4mm thick silver safety back mirror with polished edges.

Detailing

Carcass

High performance moisture-resistant High Pressure Laminate.

Colour finish

Carcass Porcelain.

Silver back mirror.

Edge treatment

Matching 0.8mm ABS lipping.

Polished black radiused edge. Glass

Polished edges.

Hardware

Door fitted with gas strut hinges.

Mounted plunge lock.

Lighting

Supplied with cool white 6000k LED lighting as standard, or optional 4000k RGBW LED lighting in 16 million colour variations. These are fitted flush into a rebate on rear of the door, providing a bright back-lit halo around the unit, or as font facing vanity lighting. Installed using waterproof IP67 rated connectors, with average lifespan of 50,000 hours.

Supplied with Z-hangers for wall/panel fixings. Fixing kit for hard wall installations. Other wall or board types will require a suitable fixing kit.

Accessories*

Water dispenser

Automatic hand sensor, available with or without hot and cold blending valve. Pressuretested with a visible outlet for easy positioning. Requires 100mm of space.

Liquid soap dispenser

Mains powered as standard, automatic hand sensor. 1L liquid soap capacity equivalent to 1,600 dispenses. Requires 100mm of space. Hand sanitiser dispenser

Mains powered as standard, automatic hand sensor. 1L hand sanitiser capacity equivalent to 1,600 dispenses. Requires 100mm of space. Hand dryer

Automatic hand sensor, 75 dBA noise rating, 85 m/s capacity, 900W motor, mains feed required into rear of unit. Requires 300mm of

Paper towel dispenser

Suitable for most standard multi-fold paper towels, capable of holding three stacks of paper towels. Top loading by access inside cabinet. Requires 300mm of space. *All accessory icon indicators available as standard or with optional etching.