

Unity



o1 Slimline profile headrail in satin anodised aluminium finish. 3 part fixing system allowing cubicles to finish only 20mm below ceiling height.

02 Pedestals are fitted to partitions to give the range its floating appearance.

Main image Unity ColourCoat cubicles in Orange (RAL2008) with Solid Surface H2 profile vanity.

See p24-25 for Unity technical specifications.




See why Unity is our most popular cubicle by watching our dedicated video on our YouTube channel.

20 Venesta V1 Unity 21 Venesta 21 Venesta

Unity





Yellow

RAL1023

RAL5023

Orange

Pantone 382

Green Blue

White Light Grey

RAL9003 RAL7035

ColourCoat

ColourCoat is our vibrant range of contemporary spray painted colours. Doors and pilasters are sprayed with a coat of primer and finished with 20% gloss pigmented lacquer.

ColourCoat High Gloss

ColourCoat High Gloss is our highly reflective, spray painted colour finish. Doors and pilasters are sprayed with a coat of primer and finished with 80% gloss pigmented lacquer.

01 Pedestals are fitted to partitions to give the range its floating appearance.

Mid Grey Dark Grey

RAL7026

Main image
Unity ColourCoat
cubicles in Purple
(RAL4006) with Solid
Surface H3 profile
vanity.

See p24-25 for Unity technical specifications.



Case Study Capital One Head Office

Capital One recently turned their attention to breathing new life into their washrooms to give their staff the very best facilities throughout their office.

Capital One's previous washrooms were dated and in need of a complete overhaul. We were pleased to work alongside Nottinghambased contractors Rotunda Construction to bring Capital One's employees new stylish, modern and easy to maintain washrooms.

Our Unity toilet cubicles were specified in all six of the new washroom areas at Capital One. With setback satin anodised aluminium pedestals fixed to the partitions, Unity has a floating appearance which makes a huge impact in these modern washrooms.


The cubicles were specified in Solid Grade Laminate (SGL) which is an impact and scratch resistant material so will withstand heavy usage in Capital One's busy office. SGL is impervious to water, meaning the cubicles can be regularly cleaned, so that excellent hygiene standards are maintained.

Capital One had a choice of 34 laminate finishes for their Unity toilet cubicles, and opted for our luxurious wood effect 'Dark Walnut' laminate, which complemented the décor of the rest of the rooms.


The minimally designed, flush-fronted cubicles feature sleek satin anodised aluminium flip indicator bolts, faceplates and internal mortice locks, which complement the contemporary design of the cubicles. The indicator bolts offer a cleverly designed emergency release mechanism, so access to locked cubicles can be gained without causing damage to the lock or having to remove the door in the event of an emergency.

Read the full case study at www.venesta.co.uk










Technical Specifying Unity













Dimensions

Unity

Overall height

 HPL
 2070mm

 SGL
 2065mm

 ColourCoat
 2070mm

 High Gloss
 2070mm

Maximum depth

 HPL
 2084mm

 SGL
 1921mm

 ColourCoat
 2084mm

 High Gloss
 2084mm

Floor clearance

50mm

Minimum ceiling clearance

20mm

Unity Full Height Maximum height

 HPL
 2840mm

 SGL
 2823mm

 ColourCoat
 2840mm

 High Gloss
 2840mm

Maximum depth

 HPL
 2084mm

 SGL
 1921mm

 ColourCoat
 2084mm

 High Gloss
 2084mm

Floor clearance

50mm

Minimum ceiling clearance

20mr

Unity Full Height Privacy

Overall height

 HPL
 2040mm

 SGL
 2035mm

 ColourCoat
 2040mm

 High Gloss
 2040mm

Maximum height

 HPL
 2810mm

 SGL
 2793mm

 ColourCoat
 2810mm

 High Gloss
 2810mm

Maximum depth

 HPL
 2035mm

 SGL
 1921mm

 ColourCoat
 2035mm

 High Gloss
 2035mm

Floor clearance

20mm (cubicle standard height will drop by 30mm and partitions will sit on privacy skirting with end cap)

Minimum ceiling clearance

20m

Performance

Available in four material options, Unity is suitable for every type of wet or dry environment, allowing you to specify the most appropriate option to meet the site requirements and your budget.

HP

For more heavily used washrooms, panels are heat, scratch, impact and cigarette burn resistant.

Moisture-resistant chipboard faced with high pressure laminate. Edges lipped with ABS. Doors and pilasters are 35mm nominal thickness with an MDF core, partitions are 19mm nominal thickness.

SGL

Solid grade laminate is extremely resistant to impact and all surfaces are impervious to water. Panels are 13mm nominal thickness with polished black radiused edges.

ColourCoat

Panels have an MDF core. Doors and pilasters are sprayed with a coat of primer and finished with 20% gloss pigmented lacquer. Doors and pilasters are 35mm nominal thickness, partitions are 18mm nominal thickness.

ColourCoat High Gloss

Panels have an MDF core. Doors and pilasters are sprayed with a coat of primer and finished with 80% gloss pigmented lacquer. Doors and pilasters are 35mm nominal thickness, partitions are 18mm nominal thickness.

Detailing

Panels and doors

Available in HPL, SGL, ColourCoat and ColourCoat High Gloss.

Colour finish

HPL and **SGL**

34 colours from the standard range. ColourCoat and ColourCoat High Gloss 10 colours.

Cubicle hardware

Satin anodised aluminium and stainless steel.

Edge treatment

HPL

Matching ABS lipping.

Polished black radiused edge.

ColourCoat

Edges sprayed with a coat of primer and finished with 20% gloss pigmented lacquer. ColourCoat High Gloss

Edges are sprayed with a coat of primer and finished with 80% gloss pigmented lacquer.

Headrail

Slimline aluminium profile headrail in satin anodised finish. 3 part fixing system which allows cubicles to finish only 20mm below ceiling height.

Cubicle hardware

Indicator bolt

Satin anodised aluminium flip indicator bolt with emergency release facility and faceplate. 35mm doors have an internal mortice lock. All with concealed fixings. **Hinge**

Satin anodised aluminium modular rise and fall butt hinge, set to fall open or closed. **Pedestal**

50mm FC: Adjustable satin anodised aluminium pedestal with a \pm 5mm tolerance.

20mm FC: In-line stainless steel pedestal with a tolerance 5mm. Satin anodised aluminium partition skirting.

Fixings

Partition to wall: Satin anodised aluminium U-channel.

Pilaster to partition: Satin anodised aluminium U-channel.

Pilaster to wall: Satin anodised aluminium L-angle 13mm (SGL), E-channel 36mm (HPL, CC and CCHG).

Accessories

Coat hooks and toilet roll holders available.